

# WELDING CHEMICALS INC. SAFETY DATA SHEET

## Section 1: Identification

**MSDS Name:** SDS-SNTD-ENG

**Product Identifier:** SNTD SUPERIOR NOZZLE TIP DIP

**Other Means of Identification:** None.

**Recommended Use:** Nozzle tip dip gel for protection of welding equipment.

**Restrictions on Use:** No information available.

**Item Numbers:** SNTD-16OZ, SNTD-1GRJ

**Bar Codes:** 810048 30007 5, 810048 300082

**Formula:** FORM1002 TIP DIP BLUE FORMULA

**Chemical Name/Synonyms:** Nozzle Tip Dip

**Supplier Identification and Address:**

Welding Chemicals Inc.,

2236 Liberty Drive

Niagara Falls, NY 14304

(716) 402-6906

570 Industrial Drive

Fort Erie, Ontario L2A 5M4

(905) 963-3339

**Email:** [qc@weldingchemicalsinc.com](mailto:qc@weldingchemicalsinc.com)

**Web:** [www.weldingchemicalsinc.com](http://www.weldingchemicalsinc.com)

**In emergency call 911.**

**Emergency Telephone Number (M-T 8:30 to 4:30 EST):** 716-402-6906

**For CHEMTREC assistance, call:** 800-424-9300

**For Canada only:** 1-888-CAN-UTEC (226-8832), 613-996-6666 or \*666 on a cellular phone.

## Section 2: Hazard(s) Identification

**GHS Classification:** None.

**GHS Label Elements:** None.

**Signal Word(s):** None.

**Hazard Statement(s):** None.

**Precautionary Statement(s):** May cause eye, skin, and respiratory tract irritation.

**Description of Other Hazards:** None.

## Section 3: Composition/ Information on Ingredients

Chemical Name	CAS No.	% Conc.	Common Name / Synonyms	Other identifiers
Petrolatum	8009-03-8	99.9%	Petroleum Jelly	None

## Section 4: First-Aid Measures

**Inhalation:** Remove from exposure and move to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical aid if cough or other symptoms appear.

**Skin Contact:** Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Get medical attention if irritation develops or persists.

**Eye Contact:** Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention.

**Ingestion:** Do NOT induce vomiting. If conscious and alert, rinse mouth and drink 2-4 cups of milk or water. Get medical attention.

**Most Important Symptoms and Effects, Acute and Delayed:** None known.

**Immediate Medical Attention and Special Treatment:** Treat symptomatically and supportively.

## Section 5: Fire-Fighting Measures

**Suitable Extinguishing Media:** Use agent most appropriate to extinguish fire. Use water spray, dry chemical, carbon dioxide or appropriate foam.

**Unsuitable Extinguishing Media:** N/Av

**Specific Hazards Arising from the Product / Chemical:** None known.

### Explosion Data

**Sensitivity to Mechanical Impact:** N/Av

**Sensitivity to Static Discharge:** N/Av

**Special Protective Equipment and Precautions for Firefighters:** As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Combustion generates toxic fumes. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

## Section 6: Accidental Release Measures

**Personal Precautions, Protective Equipment, and Emergency Procedures:** Avoid contact with eyes, skin, and clothing. Ensure adequate ventilation. Use proper personal protective equipment as indicated in Section 8.

**Environmental Precautions:** N/Av

**Methods and Materials for Containment:** Prevent spilled material from entering sewers, storm drains, and natural waterways. Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable containers. Keep all sources of ignition away from spill/release.

**Measures for Cleaning Up:** Clean up spills immediately, observing precautions in Section 8. Sweep up or absorb material, then place into a suitable clean, dry, closed container for disposal. Provide ventilation.

## Section 7: Handling and Storage

**Precautions for Safe Handling:** Wash thoroughly after handling. Use with adequate ventilation. Avoid contact with eyes, skin, and clothing. Keep container tightly closed. Avoid ingestion and inhalation.

### Conditions for Safe Storage, Including Incompatibilities

**Storage:** Store in a tightly closed container. Store in a cool, dry, well-ventilated area away from incompatible materials. Protect container(s) against physical damage.

**Incompatibilities:** None known.

## Section 8: Exposure Controls/Personal Protection

### **Control Parameters:**

Chemical Name	ACGIH OEL (TWA)	ACGIH OEL (STEL)	OSHA PEL	OSHA PEL (ceiling)
Petrolatum	None listed	None listed	None listed	None listed

**Appropriate Engineering Controls:** Good ventilation using local exhaust should be sufficient to control airborne levels. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

### Individual Protection Measures

**Eye / Face protection:** Not normally required for solid material. If required, wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA'S eye and face protection regulations in 29 CFR 1910.133 or European Standard EN 166.

**Skin and Body Protection:** Protective garments not normally required.

**Respiratory Protection:** Respiratory protection program meeting OSHA 29 CFR 1910.134 and ANSI Z88.2 requirements or European Standard EN 149 must be followed when workplace conditions warrant respirator use.

**Hygiene Measures:** Standard precautionary measures for safe chemical handling. Protective clothing, respirator, or gloves not required. Do not eat, drink, or smoke when using this product.

### Section 9: Physical and Chemical Properties

**Physical state:** Semi-solid paste  
**Color:** Blue  
**Odor:** Odorless  
**Odor threshold:** N/Ap  
**pH:** N/Ap  
**Melting Point:** >100 °F / >38 °C  
**Freezing Point:** >100 °F / >38 °C  
**Initial Boiling Point/Boiling Range:** >572 °F / >300 °C  
**Flash Point:** >338 °F / 170 °C (ASTM D 93)  
**Evaporation Rate:** N/Av  
**Flammability (solid, gas):** Not determined.  
**Upper/Lower Flammability or Explosive Limits:** N/Av  
**Vapor Pressure:** <0.1 @20 °C  
**Vapor Density:** N/Av  
**Relative Density (g/cm<sup>3</sup> @100 °C):** 0.79 – 0.85  
**Solubility in/Miscibility with water:** Insoluble  
**Partition Coefficient: n-Octanol/Water:** N/Av  
**Auto-ignition Temperature:** N/Av  
**Decomposition Temperature:** N/Av  
**Viscosity:** cSt 100 °C  
**Explosive Properties:** None known.  
**Oxidizing Properties:** None known.

### Section 10: Stability and Reactivity

**Reactivity:** No dangerous reactions known.  
**Chemical Stability:** Stable under normal temperatures and pressures.  
**Possibility of Hazardous Reactions:** None under normal processing.  
**Conditions to Avoid:** Incompatible materials, excess heat, sources of ignition.  
**Incompatible Materials:** Oxidizing agents.  
**Hazardous Decomposition Products:** Carbon monoxide, irritating and toxic fumes and gases, carbon dioxide, irritating aldehydes and ketones.  
**Hazardous Polymerization:** Will not occur.

### Section 11: Toxicological Information

**Likely Routes of Exposure:** Inhalation \_\_\_ Skin Contact XXX Eye Contact \_\_\_ Ingestion \_\_\_  
**Inhalation:** N/Av  
**Ingestion:** N/Av  
**Skin Corrosion / Irritation:** Not an irritant.  
**Serious Eye Damage / Eye Irritation:** Not an irritant.  
**Respiratory or Skin Sensitization:** N/Av  
**LC50:** N/Av  
**LD50 (oral rat):** >5000 mg/kg  
**LD50 (dermal rat):** >2000 mg/kg  
**Acute Toxicity Estimates:** N/Av  
**STOT – Single Exposure:** N/Av  
**Aspiration Toxicity:** N/Av  
**STOT – Repeated Exposure:** Not classified.  
**Carcinogenicity:** None listed by ACGIH, IARC, NTP, or CA Prop 65.

Chemical Name	ACGIH	IARC	NTP	OSHA
Petrolatum	None listed	None listed	None listed	None listed

**Reproductive Toxicity:** N/Av  
**Mutagenic Effects:** N/Av

**Sensitization:** No effects known.

**Target organs:** N/Av

### Section 12: Ecological Information

**Ecotoxicity:** N/Av

**Persistence and Biodegradation:** N/Av

**Bioaccumulation:** N/Av

**Other Adverse Effects:** N/Av

### Section 13: Disposal Considerations

**RCRA P-Series:** None listed.

**RCRA U-Series:** None listed.

**Disposal Methods:** Chemical waste generators must determine whether discarded materials are classified as hazardous waste.

**Contaminated Packaging:** Dispose of in accordance with all applicable federal, state, and local regulations.

### Section 14: Transport Information

**DOT Regulations:** Not regulated.

**TDG Regulations:** Not regulated.

**IMDG Regulations:** Not regulated.

### Section 15: Regulatory Information

**TSCA (Toxic Substances Control Act):**

CAS# 8009-03-8 is listed on the TSCA inventory.

**TSCA Health & Safety Reporting List:**

None of the chemicals are on the Health & Safety Reporting List.

**TSCA Chemical Test Rules:**

None of the chemicals in this product are under a TSCA Chemical Test Rule.

**TSCA Section 12b:**

None of the chemicals are listed under TSCA Section 12b.

**TSCA Significant New Use Rule:**

None of the chemicals in this material have a SNUR under TSCA.

**CERCLA Hazardous Substances and corresponding RQs:**

None of the chemicals in this material have an RQ.

**SARA Section 302 Extremely Hazardous Substances:**

None of the chemicals in this product have a TPQ.

**SARA Section 313:**

No chemicals are reportable under Section 313.

**Clean Air Act (Section 112 Hazardous Air Pollutants (HAPs)):**

This material does not contain any hazardous air pollutants. This material does not contain any Class 1 Ozone depletors. This material does not contain any Class 2 Ozone depletors.

**Clean Water Act:**

None of the chemicals in this product are listed as Hazardous Substances under the CWA. None of the chemicals in this product are listed as Priority Pollutants under the CWA. None of the chemicals in this product are listed as Toxic Pollutants under the CWA.

**OSHA:**

None of the chemicals in this product are considered highly hazardous by OSHA.

**STATE:**

CAS# 8009-03-8 is not present on state lists from CA, PA, MN, MA, FL, or NJ.

**California Prop 65:**

California No Significant Risk Level: None of the chemicals in this product are listed.

**Canada - DSL/NDSL:**

CAS# 8009-03-8 is listed on Canada's DSL List.

**Canada - WHMIS 2015**

This product has been classified in accordance with the Globally Harmonized System of Classification and Labelling of Chemicals (GHS), and this SDS contains all of the information required by WHMIS 2015 regulations.

#### Section 16: Other Information

**Abbreviations:**

N/Av Not Available

N/Ap Not Applicable

N/D Not Determined

MSHA (Mine Safety and Health Administration)

NIOSH (National Institute for Occupational Safety and Health)

NFPA (National Fire Protection Association)

STOT (Specific Target Organ Toxicity)

ACGIH (American Conference of Governmental Industrial Hygienists)

IARC (International Agency for Research on Cancer)

NTP (National Toxicity Program)

CERCLA The Comprehensive Environmental Response, Compensation, and Liability Act

SARA (The Superfund Amendments and Reauthorization Act)

WHMIS (Worker Hazardous Materials Information System)

**NFPA Rating:** Health: 1; Flammability: 1; Instability: 0

**Date of Latest Revision:** March 01, 2020

**Revision:** 00

The information provided in this Safety Data Sheet (SDS) is believed to be accurate as of the date this document was prepared (see Date of Latest Revision above). No warranty of merchantability, fitness for any particular use, or any other warranty, expressed or implied, is made regarding the accuracy or completeness of the information contained herein, or the results to be obtained from the use of this information, or the product itself, and we further assume no liability resulting from its use. Users shall make their own determination as to the suitability of the product or products described herein, and in no event shall Welding Chemicals Inc. (WCI) be liable for any claims, losses, or damages for any lost profits or any special, indirect, incidental, consequential or exemplary damages resulting from the